



 **H GEBUTIKKEN**



**Compression  
Fittings and  
Accessories**





#### Jason Coupler

Connection: compression  
 Material : PP  
 Colour : black/blue  
 Approval : DVGW/KIWA/WRAS

PART NO.	SIZE	PRESSURE	PACKAGING	
0706020	20 mm	16 bar	15	315
0706025	25 mm	16 bar	15	225
0706032	32 mm	16 bar	10	120
0706040	40 mm	16 bar	1	72
0706050	50 mm	16 bar	1	44
0706063	63 mm	16 bar	1	30

#### Jason Reducing coupler

Connection: compression  
 Material : PP  
 Colour : black/blue  
 Approval : DVGW/KIWA/WRAS

PART NO.	SIZE	PRESSURE
0706126	25 mm x 20 mm	16 bar
0706132	32 mm x 20 mm	16 bar
0706133	32 mm x 25 mm	16 bar
0706140	40 mm x 25 mm	16 bar
0706141	40 mm x 32 mm	16 bar
0706151	50 mm x 32 mm	16 bar
0706152	50 mm x 40 mm	16 bar
0706163	63 mm x 32 mm	16 bar
0706165	63 mm x 50 mm	16 bar

#### Jason Adaptor

Connection: compression x male thread  
 Material : PP  
 Colour : black/blue  
 Approval : DVGW/KIWA/WRAS

PART NO.	SIZE	PRESSURE	PACKAGING	
0706220	20 mm x 1/2"	16 bar	25	500
0706221	20 mm x 3/4"	16 bar	25	500
0706222	20 mm x 1"	16 bar	25	450
0706224	25 mm x 1/2"	16 bar	20	360
0706225	25 mm x 3/4"	16 bar	20	320
0706226	25 mm x 1"	16 bar	20	320
0706231	32 mm x 1/2"	16 bar	10	180
0706232	32 mm x 3/4"	16 bar	10	180
0706233	32 mm x 1"	16 bar	10	180
0706234	32 mm x 1 1/4"	16 bar	10	180
0706239	40 mm x 1"	16 bar	1	100
0706240	40 mm x 1 1/4"	16 bar	1	100
0706241	40 mm x 1 1/2"	16 bar	1	100
0706242	40 mm x 2"	16 bar	1	100
0706249	50 mm x 1 1/4"	16 bar	1	80
0706250	50 mm x 1 1/2"	16 bar	1	80
0706251	50 mm x 2"	16 bar	1	70
0706263	63 mm x 1 1/2"	16 bar	1	45
0706264	63 mm x 2"	16 bar	1	45
0706265	63 mm x 2 1/2"	16 bar	1	40

#### Jason Wall mounted elbow

With stainless steel reinforcement ring.  
 Connection: compression x female thread  
 Material : PP  
 Colour : black/blue  
 Approval : DVGW/KIWA/WRAS

PART NO.	SIZE	PRESSURE	PACKAGING	
0707211	20 mm x 1/2"	16 bar	10	200
0707212	25 mm x 3/4"	16 bar	10	140



AC02



AC02



AC02



AC02

See full catalogue for complete range 16 mm to 110 mm





AC02

### Jason Adaptor

With stainless steel reinforcement ring.

Connection: compression x female thread

Material : PP

Colour : black/blue

Approval : DVGW/KIWA/WRAS

PART NO.	SIZE	PRESSURE
0706319	20 mm x 3/8"	16 bar
0706320	20 mm x 1/2"	16 bar
0706321	20 mm x 3/4"	16 bar
0706324	25 mm x 1/2"	16 bar
0706325	25 mm x 3/4"	16 bar
0706326	25 mm x 1"	16 bar
0706331	32 mm x 3/4"	16 bar
0706332	32 mm x 1"	16 bar
0706333	32 mm x 1 1/4"	16 bar
0706340	40 mm x 1"	16 bar
0706341	40 mm x 1 1/4"	16 bar
0706342	40 mm x 1 1/2"	16 bar
0706349	50 mm x 1 1/4"	16 bar
0706350	50 mm x 1 1/2"	16 bar
0706351	50 mm x 2"	16 bar
0706362	63 mm x 1 1/2"	16 bar
0706363	63 mm x 2"	16 bar
0706364	63 mm x 2 1/2"	16 bar



AC02

### Jason Elbow 90°

Connection: compression

Material : PP

Colour : black/blue

Approval : DVGW/KIWA/WRAS

PART NO.	SIZE	PRESSURE	PACKAGING	
0706520	20 mm	16 bar	20	240
0706525	25 mm	16 bar	15	195
0706532	32 mm	16 bar	1	100
0706540	40 mm	16 bar	1	60
0706550	50 mm	16 bar	1	36
0706563	63 mm	16 bar	1	24

### Jason Elbow 90°

With stainless steel reinforcement ring.

Connection: compression x female thread

Material : PP

Colour : black/blue

Approval : DVGW/KIWA/WRAS

PART NO.	SIZE	PRESSURE
0706619	20 mm x 1/2"	16 bar
0706620	20 mm x 3/4"	16 bar
0706624	25 mm x 1/2"	16 bar
0706625	25 mm x 3/4"	16 bar
0706626	25 mm x 1"	16 bar
0706631	32 mm x 3/4"	16 bar
0706632	32 mm x 1"	16 bar
0706638	40 mm x 1 1/4"	16 bar
0706639	40 mm x 1 1/2"	16 bar
0706649	50 mm x 1 1/2"	16 bar
0706650	50 mm x 2"	16 bar
0706663	63 mm x 2"	16 bar



AC02

### Jason Elbow 90°

Connection: compression x male thread

Material : PP

Colour : black/blue

Approval : DVGW/KIWA/WRAS

PART NO.	SIZE	PRESSURE	PACKAGING	
0706719	20 mm x 1/2"	16 bar	25	425
0706720	20 mm x 3/4"	16 bar	25	425
0706724	25 mm x 1/2"	16 bar	20	360
0706725	25 mm x 3/4"	16 bar	20	320
0706726	25 mm x 1"	16 bar	20	300
0706731	32 mm x 3/4"	16 bar	10	180
0706732	32 mm x 1"	16 bar	10	180
0706740	40 mm x 1 1/4"	16 bar	1	90
0706741	40 mm x 1 1/2"	16 bar	1	90
0706750	50 mm x 1 1/2"	16 bar	1	60
0706751	50 mm x 2"	16 bar	1	60
0706763	63 mm x 2"	16 bar	1	30
0706764	63 mm x 2 1/2"	16 bar	1	30



AC02

See full catalogue for complete range 16 mm to 110 mm





### Jason T-piece 90°

Connection: compression  
 Material : PP  
 Colour : black/blue  
 Approval : DVGW/KIWA/WRAS

AC02

PART NO.	SIZE	PRESSURE	PACKAGING	
0706820	20 mm	16 bar	15	150
0706825	25 mm	16 bar	10	110
0706832	32 mm	16 bar	1	70
0706840	40 mm	16 bar	1	40
0706850	50 mm	16 bar	1	25
0706863	63 mm	16 bar	1	15



### Jason T-piece 90°, reduced

Connection: compression  
 Material : PP  
 Colour : black/blue  
 Approval : DVGW/KIWA/WRAS

AC02

PART NO.	SIZE	PRESSURE	PACKAGING	
0706925	25 mm x 20 mm x 25 mm	16 bar	10	120
0706932	32 mm x 25 mm x 32 mm	16 bar	1	80
0706940	40 mm x 32 mm x 40 mm	16 bar	1	40
0706950	50 mm x 40 mm x 50 mm	16 bar	1	25
0706963	63 mm x 50 mm x 63 mm	16 bar	1	16



### Jason T-piece 90°

With stainless steel ring.  
 Connection: compression x female thread x compression  
 Material : PP  
 Colour : black/blue  
 Approval : DVGW/KIWA/WRAS

AC02

PART NO.	SIZE	PRESSURE
0707020	20 mm x 1/2" x 20 mm	16 bar
0707024	20 mm x 3/4" x 20 mm	16 bar
0707025	25 mm x 1/2" x 25 mm	16 bar
0707027	25 mm x 3/4" x 25 mm	16 bar
0707028	25 mm x 1" x 25 mm	16 bar
0707031	32 mm x 3/4" x 32 mm	16 bar
0707033	32 mm x 1" x 32 mm	16 bar
0707041	40 mm x 1 1/4" x 40 mm	16 bar
0707042	40 mm x 1 1/2" x 40 mm	16 bar
0707050	50 mm x 1 1/2" x 50 mm	16 bar



### Jason T-piece 90°

With stainless steel ring.  
 Connection: compression x female thread x compression

PART NO.	SIZE	PRESSURE
0707051	50 mm x 2" x 50 mm	16 bar
0707063	63 mm x 2" x 63 mm	16 bar
0707064	63 mm x 2 1/2" x 63 mm	16 bar

AC02

### Jason T-piece 90°

Connection: compression x male thread x compression  
 Material : PP  
 Colour : black/blue  
 Approval : DVGW/KIWA/WRAS

PART NO.	SIZE	PRESSURE	PACKAGING	
0707120	20 mm x 1/2" x 20 mm	16 bar	15	180
0707121	20 mm x 3/4" x 20 mm	16 bar	15	180
0707124	25 mm x 1/2" x 25 mm	16 bar	10	150
0707125	25 mm x 3/4" x 25 mm	16 bar	15	150
0707126	25 mm x 1" x 25 mm	16 bar	10	120
0707130	32 mm x 1/2" x 32 mm	16 bar	1	100
0707131	32 mm x 3/4" x 32 mm	16 bar	1	100
0707132	32 mm x 1" x 32 mm	16 bar	1	85
0707137	40 mm x 1" x 40 mm	16 bar	1	50
0707138	40 mm x 1 1/4" x 40 mm	16 bar	1	50
0707140	40 mm x 1 1/2" x 40 mm	16 bar	1	50
0707150	50 mm x 1 1/2" x 50 mm	16 bar	1	30
0707151	50 mm x 2" x 50 mm	16 bar	1	30
0707163	63 mm x 2" x 63 mm	16 bar	1	20

See full catalogue for complete range 16 mm to 110 mm



AC02





### Universal transition straight coupler

Connection: compression

Material : PP

Colour : grey/black

AC02

PART NO.	SIZE	PRESSURE
0704836	15-22 mm x 20 mm	10 bar
0704837	15-22 mm x 25 mm	10 bar
0704838	15-22 mm x 32 mm	10 bar
0704839	15-22 mm x 40 mm	10 bar
0704840	21-27 mm x 20 mm	10 bar
0704841	21-27 mm x 25 mm	10 bar
0704842	21-27 mm x 32 mm	10 bar
0704843	21-27 mm x 40 mm	10 bar
0704844	21-27 mm x 50 mm	10 bar
0704845	27-35 mm x 25 mm	10 bar
0704846	27-35 mm x 32 mm	10 bar
0704847	27-35 mm x 40 mm	10 bar
0704848	27-35 mm x 50 mm	10 bar
0704849	27-35 mm x 63 mm	10 bar
0704850	35-50 mm x 32 mm	10 bar
0704851	35-50 mm x 40 mm	10 bar
0704852	35-50 mm x 50 mm	10 bar
0704853	35-50 mm x 63 mm	10 bar



### Transition insert

Connection: spigot x imperial compression

Material : PP

AC02

PART NO.	SIZE	B5 3505
7007665	20 mm x 1/2"	Class D-PN12
7007666	25 mm x 3/4"	Class D-PN12
7007667	32 mm x 1"	Class D-PN12
7007668	50 mm x 1 1/4"	Class D-PN12
7007669	50 mm x 1 1/2"	Class D-PN12
7007670	20 mm x 1/2"	Class C-PN9
7007671	25 mm x 3/4"	Class C-PN9
7007672	32 mm x 1"	Class C-PN9
7007673	50 mm x 1 1/4"	Class C-PN9
7007674	50 mm x 1 1/2"	Class C-PN9
7007675	63 mm x 2"	Class C-PN9

### Pressure pipe PE80, SDR11, WRAS

Material : PE80

Colour : blue

SDR class : SDR11

Approval : WRAS



AC05

PART NO.	SIZE	WALL THICKNESS	LENGTH	PRESSURE
0702129	20 mm	2,0 mm	50 m	12,5 bar
0702130	25 mm	2,3 mm	50 m	12,5 bar
0702131	32 mm	3,0 mm	50 m	12,5 bar
0702133	50 mm	4,6 mm	50 m	12,5 bar
0702134	63 mm	5,8 mm	50 m	12,5 bar

### Pipe insert

Enables WRAS approval of installations.

Material : Nylon

Colour : white

SDR class : SDR11

Approval : WRAS



AC02

PART NO.	SIZE	MOQ
7002250	20 mm	10
7002251	25 mm	10
7002252	32 mm	10
7002253	40 mm	1
7002254	50 mm	1
7002255	63 mm	1

Inserts are not required for pressures up to 16 bar. Inserts are required by WRAS for approved connections.

### Key for Jason couplers

Material : POM

PB00

PART NO.	SIZE
0703780	16-75 mm
0703781	63-110 mm



See full catalogue for complete range 16 mm to 110 mm



AC02

#### Jason Flange adaptor

Connection: DIN flange x compression

Material : PP

Colour : black

Approval : DVGW/KIWA/WRAS

PART NO.	SIZE	PCD	PRESSURE
0707176	DN50 x 50 mm	125 mm	16 bar
0707178	DN50 x 63 mm	125 mm	16 bar
0707181	DN65 x 75 mm	145 mm	10 bar
0707184	DN80 x 90 mm	160 mm	10 bar
0707187	DN100 x 110 mm	180 mm	10 bar

#### Jason Cap

Connection: compression

Material : PP

Colour : black/blue

Approval : DVGW/KIWA/WRAS



AC02

PART NO.	SIZE	PRESSURE	PACKAGING	
			20	500
0707191	20 mm	16 bar	20	500
0707192	25 mm	16 bar	20	340
0707193	32 mm	16 bar	10	220
0707194	40 mm	16 bar	1	125
0707195	50 mm	16 bar	1	80
0707196	63 mm	16 bar	1	45

#### Jason Elbow 45°

Connection: compression

Material : PP

Colour : black/blue

Approval : DVGW/KIWA/WRAS



AC02

PART NO.	SIZE	PRESSURE
0706404	40 mm	16 bar
0706405	50 mm	16 bar
0706406	63 mm	16 bar
0706408	90 mm	10 bar

#### Jason Side outlet elbow 90°

Connection: compression x female thread x compression

Material : PP

Colour : black/blue

Approval : DVGW/KIWA/WRAS



AC02

PART NO.	SIZE	PRESSURE
0703260	25 mm x 1/2" x 25 mm	16 bar
0703262	32 mm x 1/2" x 32 mm	16 bar
0703261	32 mm x 3/4" x 32 mm	16 bar





## NON-WRAS APPROVED



AC05

### Pressure pipe PE40

Material : PE40  
Colour : black

PART NO.	SIZE	WALL THICKNESS	LENGTH	PRESSURE
0700003	20 mm	1,5 mm	100 m	4 bar
0700004	20 mm	1,5 mm	500 m	4 bar
0700005	20 mm	2,0 mm	100 m	4 bar
0700006	20 mm	2,0 mm	500 m	4 bar
0700007	20 mm	2,2 mm	100 m	6 bar
0700008	20 mm	2,2 mm	300 m	6 bar
0700009	20 mm	2,2 mm	500 m	6 bar
0700011	25 mm	1,9 mm	100 m	4 bar
0700012	25 mm	1,9 mm	500 m	4 bar
0700013	25 mm	2,7 mm	100 m	6 bar
0700014	25 mm	2,7 mm	300 m	6 bar
0700015	25 mm	2,7 mm	500 m	6 bar
0700018	32 mm	3,0 mm	100 m	5 bar
0700019	40 mm	3,6 mm	100 m	5 bar
0700020	50 mm	4,5 mm	100 m	5 bar
0700021	63 mm	5,7 mm	50 m	5 bar



AC05

### Pressure pipe PE100, SDR17

Material : PE100  
Colour : black  
SDR class : SDR17

PART NO.	SIZE	WALL THICKNESS	LENGTH	PRESSURE
0700086	32 mm	2,0 mm	100 m	10 bar
0700087	40 mm	2,4 mm	100 m	10 bar
0700088	50 mm	3,0 mm	100 m	10 bar
0701089	63 mm	3,8 mm	50 m	10 bar
0700089	63 mm	3,8 mm	100 m	10 bar



AC05

### Pressure pipe PE100, SDR11

Material : PE100  
Colour : black  
SDR class : SDR11

PART NO.	SIZE	WALL THICKNESS	LENGTH	PRESSURE
0700071	25 mm	2,3 mm	100 m	16 bar
0700072	32 mm	3,0 mm	100 m	16 bar
0700073	40 mm	3,7 mm	100 m	16 bar
0700074	50 mm	4,6 mm	100 m	16 bar
0700075	63 mm	5,8 mm	100 m	16 bar

### PE 100 Pressure pipe, SDR17

Material : PE100  
Colour : black/blue  
SDR class : SDR17  
Approval : DVGW

PART NO.	SIZE	WALL THICKNESS	LENGTH	PRESSURE
0390600	32 mm	2,0 mm	6 m	10 bar
0390601	40 mm	2,4 mm	6 m	10 bar
0390602	50 mm	3,0 mm	6 m	10 bar
0390603	63 mm	3,8 mm	6 m	10 bar
0390604	75 mm	4,5 mm	6 m	10 bar
0390605	90 mm	5,4 mm	6 m	10 bar
0390606	110 mm	6,6 mm	6 m	10 bar
0390607	125 mm	7,4 mm	6 m	10 bar
0390608	140 mm	8,3 mm	6 m	10 bar
0390609	160 mm	9,5 mm	6 m	10 bar
0390611	200 mm	11,9 mm	6 m	10 bar
0390612	225 mm	13,4 mm	6 m	10 bar
0390616	250 mm	14,8 mm	6 m	10 bar
0390618	315 mm	18,7 mm	6 m	10 bar



AC04

### Mega Ball valve with compression fittings, type Mega Safe 500

With secure ball.

Connection : compression  
Material : PP  
Operation : lever  
Handle material : PP  
Handle colour : red  
Seal material : Hytrel/EPDM



CE00

PART NO.	SIZE	PRESSURE	PACKAGING	
0707350	20 mm	10 bar	1	30
0707351	25 mm	10 bar	1	30
0707352	32 mm	10 bar	1	28
0707353	40 mm	10 bar	1	40
0707354	50 mm	10 bar	1	10
0707355	63 mm	10 bar	1	5

See full catalogue for complete range 16 mm to 110 mm



## ELECTROFUSION

Jason polypropylene compression fittings have long been established by professionals in industry and agriculture as top quality and specification, at unbeatable prices.



**JASON NOW ALSO OFFERS THE SAME GREAT BENEFITS IN IT'S ELECTROFUSION RANGE OF PRODUCTS.**

ASK YOUR **SUPPLIER**  
FOR DETAILS



## JASON - RETAIL MATERIALS







**H GEBUTIKKEN**

[www.hagebutikken.no](http://www.hagebutikken.no)